




F1G. 1




F1G. 3




76.2






F1G. 5



F/G. 0



always l (background)	data bit 2	data bit 3
always 1 (background)	data bit 1	data bit 5
always 1 (background)	data bit 0	data bit 4

	- 🞇	▓	₩	₩	8			.]	p2	b2	b2	þ2	b2		-	b 3					
		▓	▓	▓	₩	怒	▩	b2	b2	b2	b2	b2	b2	b2	b 3	b3	p 3	b 3	ьз	b3	h3
								b2	b2	b2	b2	b2	b2	b2	b3	b3	b3	b3	b 3	b 3	h.2
			$\overset{\sim}{\otimes}$	\otimes			▩	p2	b2	b2	b2	b 2	b2	b2	b 3	b 3	p3	b 3	b 3	b 3	23
		▓	▓		₩		₩	p2	b2	b2	b2	b2	b2	b2	b 3	b3	b3	p3	b3	b3	2
		▓	▓		₩	▓	▓	b2	b2	b2	b2	b2	b2	b2	p3	b 3	b3	6 3	b 3	b3	2
***			\otimes		×	×	XX		b2	b2	b2	b2	b2			b 3	b3	ಜ	b 3	p3	Г
Š		▓	▓			*			b1	b 1	10	p1	b1			p2	p2	p2	p 2	p2	Γ
⋘		燹	総			❈	\boxtimes	b1	b1	b1	19	5	b1	b1	p2	p2	50	p2	p2	p2	1
		▓	$\overset{\sim}{\otimes}$	\bowtie				p1	p1	p4	5	1 ₀	b1	10	53	p2	2	52	52	p2	7
		▓	▓		₩	▓	▓	1 0	b1	<u>10</u>	5	2	b1	10	52	p2	53	52	22	52	1
		▓	総	₩			▓	b1	b1	5	10	5	14 14	2	52	p2	p2	52	52	52	1
		▓	▓	\otimes			▓	P1	11 11	<u>1</u> 2	14 1	교	p1	<u> </u>	P2	<u>52</u>	p2	p2	92	p2	1
*****		▓	▓	₩	₩	ŠŤ	555		<u>F</u>	교	P 1	<u>1</u> 2	19			2	p2	52	22	8	T
		\otimes	▓	\bowtie	▓	▓			9	99	2	Qq	20			72	4	72	72	72	
\bowtie		▓	▓		₩		**	Qq	9	9	요	요	요	2	4	40	72	4	72	40	:
		$\ddot{\otimes}$	▓	\bowtie		▓	$\overset{\sim}{\otimes}$	loq	2	9	2	9	2	9	<u>4</u>	72	72	42	4	40	
		▓	▓	₩		▓	▓	09	9	2	2	2	9	요	<u>7</u>	42	40	72	72	72	1
		▓	▓	₩			▓	1 09	8	9	9	200	9	9	72	7	72	2	72	40	T:
		▓	₩	₩	₩	▓	▓	109	8	9	200	8	9	9	72	4	72	42	2	7	T:
	$\stackrel{\infty}{\otimes}$	\otimes	$\overset{\infty}{\Longrightarrow}$	₩		ቖ	XXX	<u> </u>	200	2	2	8	8	 -	Ι=	72	40	72	72	72	Ť

21 entries

Legend

constant 0

constant 1

b0 data bit 0

b1 data bit 1

b2 data bit 2

b3 data bit 3

b4 data bit 4

b5 data bit 5

21 entries

9